



Km. 4.5 Durán - Tambo
 Phone: 593 4 2 815737 - 593 4 2815659
 Guayaquil - Ecuador
www.gisis.com.ec

FOR TROUT FOOD AND USE RECOMMENDATIONS

FOOD	SIZE OF THE FOOD	TILAPIAS RANK OF THE WEIGH	RATE OF FEEDING (% weight/day)	FEEDING FRECUENCY
S-500 INITIATION DIET	Crumble No. 3 (600-900 mic.)	0.30 - 1.50 gr.	5.0 - 5.7 %	8-10 times/day
	Crumble No. 4 (900-1200 micras)	1.50 - 4.50 gr	5.0 - 6.0 %	
	Crumble No. 5 (1200-1700 mic.)	4.50 - 9.0 gr.	5.0 - 5.7 %	
S-500 GROWTH DIET	Extruso 2.0 mm (5/64") (1.8-2.4 mm)	10.0 - 40.0 gr.	2.5 - 3.5 %	6 - 8 times/day
S-400 FATTENING DIET	Extruso 4 mm (1/8") (3.8-4.4 mm)	40.0 - 100.0 gr.	1.0 - 2.5 %	2-4 times/day
	Extruso 5 mm (3/16") (4.5-5.5 mm.)	100.0 - 300.0 gr.	0.8 - 1.9 %	
	Extruso 7 mm (1/4") (6.3-7.7 mm.)	> 300.0 gr.	0.6 - 1.5 %	

The ranks of the presented feeding rate are for the water rank temperature of 16°cs 17°cs